



Product Service

# CERTIFICATE

No. Z2 010256 0319 Rev. 00

**Holder of Certificate:** **Berliner Seilfabrik GmbH & Co.**  
Lengeder Straße 4  
13407 Berlin  
GERMANY

**Certification Mark:**



**Product:** **Playground equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 0713282459-08

**Valid until:** 2028-07-26

**Date,** 2023-09-15

( Jens Biesenack )

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT

# CERTIFICATE

No. Z2 010256 0319 Rev. 00

## Model(s):

**91.200.010 Pentagode S, 91.200.020 Pentagode M,  
 91.200.030 Pentagode L, 91.200.040 Pentagode XL,  
 90.180.278 Pentagode S.01, 90.180.057 Pentagode M.01,  
 90.180.277 Pentagode XL.01, 90.180.125 Pentagode XL.02  
 71.200.029.00 SC 2900, 71.200.029.01 SC 2901,  
 71.200.038.50 SC 3850, 71.200.038.52 SC 3852,  
 71.200.038.54 SC 3854, 71.200.053.38 SC 5338,  
 71.200.053.50 SC 5350, 71.200.053.52 SC 5352,  
 71.200.061.00 SC 6100, 71.200.061.02 SC 6102,  
 71.200.074.00 SC 7400, 71.200.074.02 SC 7402,  
 71.200.074.61 SC 7461, 71.200.093.00 SC 9300**

## Parameters:

Pole: steel tube Ø127 mm, corrosion-protective thermally galvanised.

Rope: U-Rope® round strand rope with strand cores and rope core of sheathed and individually galvanised wires, Outer strands polyester yarn sheathed.

Spacenet: rope crossing points through aluminium parts cloverleaf ring, ball knot or barrel crimping.

91.200.010 Pentagode S

Size (L x W x H): 8,40 x 8,00 x 4,00 m

91.200.020 Pentagode M

Size (L x W x H): 10,50 x 10,00 x 5,10 m

91.200.030 Pentagode L

Size (L x W x H): 12,70 x 12,00 x 6,10 m

91.200.040 Pentagode XL

Size (L x W x H): 14,90 x 14,20 x 7,20 m

90.180.278 Pentagode S.01

Size (L x W x H): 15,70 x 19,00 x 4,00 m

90.180.057 Pentagode M.01

Size (L x W x H): 10,50 x 17,20 x 5,10 m

90.180.277 Pentagode XL.01

Size (L x W x H): 14,90 x 21,90 x 7,20 m

90.180.125 Pentagode XL.02

Size (L x W x H): 34,80 x 20,60 x 8,80 m

71.200.029.00 SC 2900

Size (L x W x H): 4,51 x 3,91 x 2,90 m

71.200.029.01 SC 2901

Size (L x W x H): 4,70 x 4,10 x 3,00 m

71.200.038.50 SC 3850

Size (L x W x H): 6,20 x 6,20 x 4,00 m



# CERTIFICATE

No. Z2 010256 0319 Rev. 00

- 71.200.038.52 SC 3852  
Size (L x W x H): 8,70 x 13,6 x 4,00 m
- 71.200.038.54 SC 3854  
Size (L x W x H): 13,6 x 13,6 x 4,00 m
- 71.200.053.38 SC 5338  
Size (L x W x H): 16,10 x 11,50 x 5,40 m
- 71.200.053.50 SC 5350  
Size (L x W x H): 8,20 x 8,20 x 5,50 m
- 71.200.053.52 SC 5352  
Size (L x W x H): 18,00 x 11,50 x 5,30 m
- 71.200.061.00 SC 6100  
Size (L x W x H): 9,20 x 9,20 x 6,20 m
- 71.200.061.02 SC 6102  
Size (L x W x H): 12,93 x 20,13 x 6,10 m
- 71.200.074.00 SC 7400  
Size (L x W x H): 11,20 x 11,20 x 7,50 m
- 71.200.074.02 SC 7402  
Size (L x W x H): 25,80 x 15,80 x 7,40 m
- 71.200.074.61 SC 7461  
Size (L x W x H): 23,35 x 15,76 x 7,40 m
- 71.200.093.00 SC 9300  
Size (L x W x H): 15,30 x 15,30 x 9,40 m

**Tested  
according to:**

EN 1176-1:2017  
EN 1176-11:2014  
EN 1176-3:2017