Splash.01 – Product Specification



Splash.01

Greenville lookout with a rope ladder and a climbing-rope and bamboo panels plus an access bridge and a curved Banister.

Splash.01 – at a glance.

Product Family: Item Number: Children's Age: Fall Height (DIN EN 1176): Length x Width x Height:

Protective Surfacing Area (DIN EN 1176): Protective Surfacing Area (ASTM 1487):

Minimum space required DIN EN 1176: Minimum space required ASTM 1487:

Greenville
90.291.001
5+
1.99 m (6'-7")
7.38 m x 3.12 m x 4.61 m
(24'-3"x 10'-3" x 15'-2")
10.37 m x 6.32 m
11.03 m x 6.77 m
(36'-3" x 22'-3")
45.48 m²
53.11 m² (572 sf)

Number of Foundations: Concrete Volume C20/C25: Number of skilled installers required: Installation Time without foundation: Dimensions of largest part:

Weight of heaviest part: Shipping Volume: Spare part guarantee: Gross weight

Revision: March 2016

Certificate according to DIN EN 1176:

5 pc.
2.0 m³ (70.63 ft³)
3
8 hours
5.6 m x 0.2 m x 0.2 m
(18'-5" x 0'-8" x 0'-8")
90 kg (198.5 lbs)
5.0 m³ (176.6 ft³)
Lifelong
650 kg (1433 lbs)
No.: Z1A 13 06 10256 094

TÜV Product Service



Berliner Seilfabrik Play Equipment Corporation 96 Brookfield Oaks Drive, Suite 140 Greenville, SC 29607

T + 1 864 627 1092 F + 1 864 627 1178



Splash.01 – Product Specification



Technical Data.

The following text can also be used for tenders.

Steel posts:

Steel pipes Ø 133 mm (5 $\frac{1}{4}$ ") with a rounded cast aluminum post top, minimum wall thickness 7.1mm (1/4"); anticorrosion treatment and color finish: sandblasting and zinc-/ epoxy-/ polyester-process.

Cross tubes made of stainless steel Frameworx- $^{\odot}$ tubes, Ø 60,3 m(2 3/8"), material AISI304 (DIN 1.4301).

Connecting parts:

Two-part cast aluminum connecting Terranos-clamps for the height-adjustable connection of rope elements or steel pipes to Terranos steel posts.

All connections for Terranos-rope elements are equipped with Frox-Rope connections that are completely enclosed and free from any entrapment risks.

Frameworx-aluminum ball connectors, Ø 250mm (9 13/16"); anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process; incorporating an AstemTT net tensioning system, securely closed with durable EPDM-caps.

Bamboo panels:

Bamboo strips 90 mm, (3'-1/2'') mounted at a particle board made from HDPE, 19 mm (3/4'') thickness, rounded edges, mounted with aluminum plate clamps to the tubes of the framework.



Ropes:

U-Rope®-round strand ropes with galvanized and covered wires, external strands with non-abrasive UV-resistant Polyester-yarn (no Polypropylene). Rope-diameter Ø 16mm (5/8").

Climbing netting:

Rope Ø 16 mm (5/8"), mesh size 300 x 300mm (11-13/16"x11-13/16"), rope crossing points localized by durable, drop forged aluminum-ballknots (no plastic).

Rope ladder:

Rope Ø 16 mm (5/8"); step material: nylon, black; Ø 41mm (1/2"), 350mm length (1'-2").

Handrail rope:

Rope Ø 16 mm (5/8"), rope ends are fixed with cast aluminum Terranos clamps (to the outer steel support).

Railing rope:

Rope Ø 16 mm (5/8"), rope ends are fixed with cast aluminum Terranos clamps (to the outer steel support).

Banister:

Revision: March 2016

Collateral straight stainless steel pipes, Ø 60.3 mm (2 3/8"); material AISI304 (DIN 1.4301), connected to the main structure with Frameworx-aluminum ball connectors, Ø 200mm (7 9/10").



Berliner Seilfabrik Play Equipment Corporation 96 Brookfield Oaks Drive, Suite 140 Greenville, SC 29607

T + 1 864 627 1092 F + 1 864 627 1178

Splash.01 – Product Specification





Berliner Seilfabrik Play Equipment Corporation 96 Brookfield Oaks Drive, Suite 140 Greenville, SC 29607

T + 1 864 627 1092 F + 1 864 627 1178

Revision: March 2016