# HodgePodge

Calisthenics.02 Product Specifications



Published: June 2022

### Calisthenics.02


HodgePodge is a clever and versatile combination of play equipment and climbing structures that can be used anywhere and for numerous activities. A calisthenics system for sport activity, climbing trees, Wasps' nest, zip lines, swings and carousels for fun and excitement. Calisthenics.02 combines climbing and calisthenics in one. Whether pull-ups or hand-overhand moves, fitness fans will be spoiled for choice when using this piece of apparatus, which is more than 30' long. Calisthenics.02 is just one of many possible variants: the color, shape and functionality can be tailored to specific requirements so as to fit in with the surroundings, whether urban or natural.




## Calisthenics.02

### 95.190.481

<b>JJ11701</b>	
Product Family	HodgePodge
Length x Width x Height (m) Length x Width x Height ('-'')	3,2 x 9,9 x 2,4 10-5 x 32-6 x 7-10
Protective Surfacing Area acc. to DIN EN 1176 (m) Protective Surfacing Area acc. to ASTM/CSA (m) Protective Surfacing Area acc. to ASTM/CSA('-'')	-
Fall Height acc. to EN 1176 (m)   Fall Height acc. to ASTM/CSA ('-'')	-
○ ○ Age	-
Minimum Space required acc. to DIN EN 1176 (m <sup>2</sup> ) Minimum Space required acc. to ASTM 1487 (ft <sup>2</sup> )	-
Number of Foundations	4
Concrete Volume C20/C25 (ft <sup>3</sup> )	148.4
Number of skilled Installers required	3
Installation Time without Foundation	12 hours
Dimensions of largest Part ('-'')	On request
Weight of heaviest Part (lbs)	On request
Shipping Volume (ft <sup>3</sup> )	On request
습습습 Total Weight (lbs)	On request
Spare Part Guarantee	Lifelong





The dimensions of the equipment have been rounded up to one decimal digit.

#### **Technical Data**

Technical changes are reserved. The following text can also be used for tenders.

#### Tubes:

The bent steel tubes with a diameter of  $\emptyset$  6 %" are thermally galvanized to protect against corrosion and powder-coated in color using a solvent-free epoxy-polyester-process.

#### **Bars:**

Stainless steel tubes with a diameter of Ø 1 %6'' and a wall thickness of  $\,\%6''.$ 

#### Handles:

The solid handles are made of stainless steel.

#### Charlotte-Connector:

Internal fastening system for single rope endings at the arch tubes. The fixing works without hooks or visible ferrules, pre-prepared net segments can easily get installed and still stay exchangeable.

#### Rope:

The U-Rope® with strand cores and rope core made of galvanized wires has outer strands which are covered with highly abrasion-resistant and highly UV-resistant polyester yarn (not polypropylene). The rope diameter is  $\emptyset$  1%6".

#### **Planar Net:**

The planar net with a mesh size of at least 9  $^{1}$ /6" x 9  $^{1}$ /36" is permanently localized at the rope crossing points by durable drop-forged aluminum balls (no plastic).